If you've taken the abortion pill,
it may not be too late.

We can help you!



Abortion Pill Reversal

If you have changed your mind, our caring medical professionals would like to help!

CALL (877)-558-0333
RIGHT AWAY

APR
Abortion Pill Reversal

facebook.com/AbortionPillReversal

abortionpillreversal.com

How the Abortion Pill Works

Mifepristone is also known as the abortion pill or RU-486 and is prescribed by a doctor within the first seven to ten weeks of pregnancy. Most women don't really know how it works. Many physicians will tell you that mifepristone is a "light procedure"; or is "relatively quick" and "easy." That is not always the case. It isn't light, quick, or easy. Mifepristone is a drug that blocks the effects of progesterone—a hormone your body needs to grow a healthy baby. Mifepristone blocks the nurturing effects of progesterone which leads to the death of the developing baby, the embryo or fetus.

The Abortion Pill Process

1 A doctor will give the woman a physical exam to determine if she is eligible for this type of medical abortion procedure. She may be given antibiotics to prevent infection.


2 She will be given an oral dose of mifepristone during her first office visit.

3 Misoprostol tablets are taken orally or inserted vaginally about 36 to 72 hours after taking the mifepristone. The tablets will cause contractions and expel the remains of the baby. This process may take a few hours or as long as a few days.

4 The woman will need to be examined by her doctor about two weeks later to ensure the abortion was complete and to check for complications.

5 The procedure is unsuccessful approximately 5-10% of the time with the potential of requiring an additional surgical abortion procedure to complete the termination.





Abortion Pill Side Effects

Mifepristone (RU-486) is a very strong drug and you may experience side effects after taking it. The side effects vary from person to person and no two women's experiences are alike. Check out the list below to have a better understanding of how the drug may affect you.

COMMON SIDE EFFECTS

Severe	Less Severe
Uterine Cramps	High Blood Pressure
Bleeding not related to Menstrual Period	Overgrowth of the uterine lining
Backache	Joint Pain
Stomach Cramps	Dizziness
Low amount of Potassium in the blood	Low Energy
-	Fluid retention in the legs, feet, arms or hands
-	Loss of appetite
-	Head pain
-	Nausea
-	Vomiting
-	Diarrhea

INFREQUENT SIDE EFFECTS

Severe	Less Severe
Infection	Indigestion
Chills	Inflammation or infection of the vagina
Backache	Chronic trouble sleeping
Stomach Cramps	Fever

Source: www.earlyoptionpill.com/section/resources/medication_guide

Abortion Pill Reversal

Have you taken the first dose of the **ABORTION PILL, MIFEPRISTONE** (Mifeprex or RU-486)? Do you regret your decision and wish you could reverse the effects of the abortion pill? We are waiting to help you! There is an effective process for reversing the abortion pill, called **ABORTION PILL REVERSAL**, so call today! Call us right now, so we can talk with you and offer you help. We know that an unplanned pregnancy can be scary and many women make decisions to abort their babies when they are terrified and stressed. We know that after some time thinking about it, many women would like to change their minds about a **MEDICATION ABORTION. IT MAY NOT BE TOO LATE, IF YOU CALL QUICKLY.**

Please . . . talk with one of our nurses who can guide you towards reversing the effects of the abortion pill. We will help you every step of the way. **CALL OUR HOTLINE NOW!**

(877)-558-0333

A Story of Regret


"I went back into the waiting room and when they called me back I was taken to a room with an ultrasound machine. I remember lying down and the doctor checking to see how far along I was. I remember seeing my baby. The doctor then proceeded to lead me out into the waiting room until she called me back to give me the first abortion pill (mifepristone RU-486). I took the pill with no hesitation. I just wanted out of there and didn't want to think about it ever again. I had to take the second pill the next day so the abortion process would finish. I remember hours after taking the second pill excruciating pain, crying and bleeding. My husband was with me that whole night and neither of us got any sleep. After the abortion we never spoke about it again but, it never left my mind. The guilt haunts me until this day. I think about how old my baby would be and if it would have been a boy or girl."

Physician Testimonies

"To be an agent of hope to a woman desperately seeking a second chance is a blessing, indeed. The 'second choice' we offer women who change their minds after taking mifepristone not only gives their unborn babies a fighting chance, it also provides an avenue for emotional and spiritual healing on the mothers' and sometimes the fathers' part." -George Delgado, M.D., F.A.A.F.P., APR Medical Director

"Abortion Pill Reversal is a process that I feel was presented to me as an answer to prayer when a scared young pregnant woman came to me in 2006 desiring reversal of her RU-486 chemical abortion. She heroically accepted the risks of this new treatment and supported her baby throughout her pregnancy with progesterone injections. She delivered a healthy baby girl who is still healthy and growing at 8 years of age. APR has been a real life giving force in my practice and my outlook on Pro-Life medicine. Dr. Delgado's vision of a global network to support women who regret their abortions has been a real inspiration to me in my everyday practice of medicine." -Matt Harrison, M.D., Associate Medical Director

"It has been my privilege to participate in the abortion pill reversal program since 2011. To witness a vulnerable, frightened young women who has made hasty and imprudent decision, often under pressure or coercion, and see her transform into an expectant mother, committed to her unborn baby, is a true miracle." -Mary Davenport, M.D., F.A.C.O.G, Research Director



How We Can Help

We understand how scary and stressful it can be to learn you are facing an unplanned pregnancy. We also understand that panic can set in and you can make a decision that you will regret later. Even if you have taken the first pill, it may not be too late to begin to reverse the effects of it. But you need to call us right away because time matters!

When you call our number, you will be able to speak with one of our nurses. She will talk with you about your situation and will assess if you would be able to follow through with the reversal. We have doctors all over the U.S. as well as internationally who are willing to help women reverse the effects of the abortion pill, and we will help connect you with those physicians. Once you are able to meet with a physician who can help you, you'll have a sonogram to confirm the baby is alive and in the uterus, even if you are bleeding or cramping. You will then receive natural progesterone according to our protocol. This counteracts the effects of the mifepristone and can help you continue to have a healthy, developing pregnancy. Please call us **TODAY** so we can connect you with the nearest physician who can help you.

Contact Us - (877)-558-0333

A nurse will take your call and will attempt to connect you to a doctor in your area who can help you. We have over **350** participating physicians all over the country, and our numbers are growing. We will find you the help you need! If you are seeking immediate assistance or would like to attempt to reverse the abortion pill, please call our hotline: **(877) 558-0333**.

©2017 Heritage House, Inc.
919 S. Main St, Snowflake, AZ
1-800-858-3040 • www.hh76.org
Item No. 9498PR